

**This product may be purchased from Connevens Limited secure online store  
at [www.DeafEquipment.co.uk](http://www.DeafEquipment.co.uk)**



**DeafEquipment.co.uk**

Solutions to improve the quality of life



# doro 670

digital cordless telephone



200 position phonebook



headset outlet and speakerphone



polyphonic ring signals  
with VIP function



[www.doro.com](http://www.doro.com)

# doro 670



Colour: graphite, deep red

## Calling/talking

|                              |     |
|------------------------------|-----|
| Redial memories              | 30  |
| Pre dialling                 | •   |
| Phonebook in handset         | 200 |
| Phonebook in base            | 10  |
| Additional NOP services menu | •   |
| Handset volume settings      | 5   |
| Speaker phone on handset     | •   |
| Speaker volume control       | 5   |
| Headset outlet on handset    | •   |
| HAC (Hearing Aid Compatible) | •   |
| Mute function                | •   |
| Key lock                     | •   |
| Backlit keypad               | •   |
| Call timer                   | •   |

## Handset LCD display

|                                       |                            |
|---------------------------------------|----------------------------|
| Menu navigation                       | •                          |
| Icon based navigation                 | •                          |
| Graphical dot matrix                  | •                          |
| Display size (mm)/no. of dots (h x w) | 28 x 26/128 x 128          |
| Colour display                        | 65K                        |
| Lines/characters                      | 8/16                       |
| Wallpaper                             | 10                         |
| Screen text customisation             | •                          |
| Backlit display                       | •                          |
| Clock                                 | •                          |
| Alarm                                 | •                          |
| Languages ver 1                       | en, fr                     |
| Languages ver 2                       | en, fr, se, no, dk, fi, pl |

## Ringer

|                                  |    |
|----------------------------------|----|
| Monophonic ring tones            | 5  |
| Polyphonic ring tones            | 15 |
| Ringer volume settings excl. off | 5  |
| Ringer off setting               | •  |
| Priority call alert (V.I.P.)     | •  |

## Base

|             |   |
|-------------|---|
| Base ringer | • |
| Paging      | • |

## Caller ID

|                                     |    |
|-------------------------------------|----|
| Caller ID on hook                   | •  |
| Caller ID off hook (call waiting)** | •  |
| Name display from phonebook         | •  |
| Name display from network*          | •  |
| Date/time stamp from network*       | •  |
| Date/time stamp from internal clock | •  |
| Caller ID memory                    | 30 |
| CID memory duplication memory       | •  |

## SMS

|                                    |        |
|------------------------------------|--------|
| SMS function*                      | •      |
| SMS message memory capacity in/out | 30     |
| SMS access key                     | •      |
| SMS Max. length (characters)       | 640    |
| Predictive text (T9 or Eatoni)     | Eatoni |
| SMS-alert tone on/off              | •      |

## Multi handset

|                                  |   |
|----------------------------------|---|
| Maximum no. of handsets per base | 5 |
| Conference call                  | • |
| Intercom                         | • |
| Call transfer                    | • |

## Others

|      |   |
|------|---|
| Game | • |
|------|---|

## Mechanical

|                                      |               |
|--------------------------------------|---------------|
| Handset size (mm)                    | 145 x 50 x 27 |
| Handset weight (gr. incl. batteries) | 135           |
| Belt clip                            | •             |
| Wall mountable                       | •             |

## Technical

|                                   |           |
|-----------------------------------|-----------|
| Standby time (h)                  | ~120      |
| Continuous Talk Time (h)          | ~12       |
| GAP Compliant                     | •         |
| Max. no. of registered base units | 4         |
| Type                              | DECT      |
| Range outdoor (metres)            | up to 300 |
| Batteries                         | AAA, NiMH |

\* Depending on network support and subscription

\*\* Country depending