

**This product may be purchased from Connevens Limited secure online store
at www.DeafEquipment.co.uk**



DeafEquipment.co.uk

Solutions to improve the quality of life



doro 680r

digital cordless telephone with answering machine



200 position phonebook



headset outlet and speakerphone



polyphonic ring signals
with VIP function



www.doro.com

doro 680r

Colour: graphite, deep red



Calling/talking

Redial memories	30
Pre dialling	•
Phonebook in handset	200
Phonebook in base	10
Additional NOP services menu	•
Handset volume settings	5
Speaker phone on handset	•
Speaker volume control	5
Headset outlet on handset	•
HAC (Hearing Aid Compatible)	•
Mute function	•
Key lock	•
Backlit keypad	•
Call timer	•

Handset LCD display

Menu navigation	•
Icon based navigation	•
Graphical dot matrix	•
Display size (mm)/no. of dots (h x w)	28 x 26/128 x 128
Colour display	65K
Lines/characters	8/16
Wallpaper	10
Screen text customisation	•
Backlit display	•
Clock	•
Alarm	•
Languages ver 1	en, fr
Languages ver 2	en, fr, se, no, dk, fi, pl

Ringer

Monophonic ring tones	5
Polyphonic ring tones	15
Ringer volume settings excl. off	5
Ringer off setting	•
Priority call alert (V.I.P.)	•

Base

Base ringer	•
Paging	•

Caller ID

Caller ID on hook	•
Caller ID off hook (call waiting)**	•
Name display from phonebook	•
Name display from network*	•
Date/time stamp from network*	•
Date/time stamp from internal clock	•
Caller ID memory	30
CID memory duplication memory	•

SMS

SMS function*	•
SMS message memory capacity in/out	30
SMS access key	•
SMS Max. length (characters)	640
Predictive text (T9 or Eatoni)	Eatoni
SMS-alert tone on/off	•

TAM

Base handling	•
Handset handling	•
Remote access	•
Message Backup	•
Call indication display	•
Memo function	•
Announce only	•
Pre-registered announce message	•
Call monitoring	•
Playback of new messages first	•
Selective or complete delete of messages	•
Recording time (minutes)	15
Parallel of hook detection	•
Vox detection	•
TAD ring count setting	•

Multi handset

Maximum no. of handsets per base	5
Conference call	•
Intercom	•
Call transfer	•

Others

Game	•
------	---

Mechanical

Handset size (mm)	145 x 50 x 27
Handset weight (gr. incl. batteries)	135
Belt clip	•
Wall mountable	•

Technical

Standby time (h)	~120
Continuous Talk Time (h)	~12
GAP Compliant	•
Max. no. of registered base units	4
Type	DECT
Range outdoor (metres)	up to 300
Batteries	AAA, NiMH

* Depending on network support and subscription

** Country depending